

FIG. 1




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

Bite position (BP)	Name	Note	Abbreviation
1 to 3	Secured for system		
4 to 11	Creation system ID		
12 to 13	Number of bytes in data field of sector		SS
14	Number of sectors per cluster		SC
15, 16	Reserved sector count		RSC
17	Number of FATs		FN
18, 19	Number of root directory entries		RDE
20, 21	Total number of sectors	65535 and less: total number of sectors 65536 and more: 0	TS
22	Media descriptor		
23, 24	Number of sectors per FAT		SF
25, 26	Number of sectors per track		SPT
27, 28	Number of surfaces		NOS
29 to 32	Secured for system		
33 to 36	Total number of sectors	BP20, 21=0: total number of sectors Others: not regulated	TS
37	Secured for system		
38	Secured		
39	Extended boot record signature		
40 to 43	Volume ID number		
44 to 54	Volume label		
55 to 62	File system type		
63 to 512	Secured for system		

FIG. 12

Inventor: Saitou et al.
Docket No.: 10873.1632USWO
Title: DATA RECORDING DEVICE
Attorney Name: Douglas P. Mueller
Phone No.: 612.371.5265
Sheet 13 of 14




FIG. 13




FIG. 14